ELSEVIER

Journal of Immunological Methods 172 (1994) 275–276

JOURNAL OF IMMUNOLOGICAL METHODS

Contents to volume 172 (1994)

Number 1 – 3 June 1994

Review article

Rapid quantitation of apoptosis in pure and heterogeneous cell populations using flow cytometry
W.G. Telford, L.E. King and P.J. Fraker (USA) 1

Research reports

Application of a flow cytometric method using autofluorescence and a tandem fluorescent dye to analyze human alveolar macrophage surface markers
M.Y. Viksman, M.C. Liu, R.P. Schleimer and B.S. Bochner (USA) 17

A fluorescence microassay for the quantitation of integrin-mediated adhesion of neutrophil
K.P.M. Van Kessel, C.T. Park and S.D. Wright (USA) 25

Semi-preparative purification and validation of monoclonal antibodies for immunotherapy in mice
H.F.J. Savelkoul, A.C.T.M. Vossen, E.G. Breedland and G.J.M. Tibbe (Netherlands) 33

Characterization of monoclonal antibodies to apolipoprotein (a) and development of a chemiluminescent assay for phenotyping apolipoprotein (a) isomorphs
R. Théolis, Jr. and W.C. Breckenridge (Canada) 43

Multiparameter flow cytometric analysis of inflammatory cells contained in bronchoalveolar lavage fluid
J. Lohmeyer, J. Friedrich, S. Rosseau, H. Pralle and W. Seeger (Germany) 59

Antibody secreting cells as specific probes for antigen identification
E.N.T. Meeusen and M.R. Brandon (Australia) 71

Flow cytometric detection of anti-neutrophil cytoplasmic autoantibodies
Y.H. Yang, P. Hutchinson, G.O. Littlejohn and N. Boyce (Australia) 77

Analysis of the Vβ specificity of superantigen activation with a rapid and sensitive method using RT PCR and an automatic DNA analyser
F. Cottrez, C. Auriault, A. Capron and H. Groux (France) 85

The role of N-linked oligosaccharides of MHC class II antigens in T cell stimulation
B. Nag, H.G. Wada, S. Arimilli, K. Fok, D. Passmore, S.D. Sharma and H.M. McConnell (USA) 95

Quantitation of FcγRII mRNA in platelets and megakaryoblastic cell lines by a new method of in situ hybridization
B. Markovic, Z.H. Wu, C.N. Chesterman and B.H. Chong (Australia) 105

Use of fluorescent dyes in the determination of adherence of human leucocytes to endothelial cells and the effect of fluorochromes on cellular function
L.S. De Clerck, C.H. Bridts, A.M. Mertens, M.M. Moens and W.J. Stevens (Belgium) 115

Monoclonal antibodies directed against surface and intracellular antigens of mouse granulated metrial gland cells
I.J. Stewart, D.D.Y. Mukhtar, A.M. Sawyer and A.E. Wild (UK) 125

Letter to the editor

Induction of collagen-induced arthritis in mice using a non-ulcerative adjuvant
K.A. Frondorf and J.A. Wolos (USA) 131

Book reviews 135

Notes to authors 139

Number 2 – 24 June 1994

Research reports

o-Phthaldehyde fluorescence microassay for the determina of antibody concentration
X. Li, K. Abdi and S.J. Mentzer (USA) 141

Monoclonal antibodies prepared against the DNA polymerase from *Thermus aquaticus* are potent inhibitors of enzyme activity
E.R. Scalice, D.J. Sharkey and J.L. Daiss (USA) 147

Enhanced immunogenicity of leucine enkephalin following coupling to anti-immunoglobulin and anti-CD3 antibodies
T.L. Hendrickson, G.S. Wilson, J.M. Frazer, R.-S. Liu, R.T. McCormack and R.L. Wolfert (USA) 165

Standardization of a micro-cytotoxicity assay for human natural killer cell lytic activity
E. Mariani, M.C.G. Monaco, S. Sgobbi, J.F. De Zwart, A.R. Mariani and A. Facchini (Italy) 173

Conjugation of recombinant reverse transcriptase of HIV-1 to β-D-galactosidase from *Escherichia coli* for ultrasensitive enzyme immunoassay (immune complex transfer enzyme immunoassay) of anti-HIV-1 IgG
K. Hashinaka, S. Hashida, A. Saitoh, A. Nakata, H. Shinagawa, S. Oka, K. Shimada and E. Ishikawa (Japan) 179

Production and characterization of monoclonal and polyclonal antibodies to human α2-HS: development of a two-site ELISA test
C. Akhoundi, N. Rochet, B. Ferrua and B. Rossi (France) 189

High sensitivity two-site immunoradiometric and immunochemiluminometric assays for rat growth hormone-releasing hormone. Development of an acridinium ester based chemiluminescence assay for the avidin-coated bead system
J.W. Leidy, Jr. (USA) 197

Use of hu-IgG-SCID mice to evaluate the in vivo stability of human monoclonal IgG antibodies
R. Bazin, G. Boucher, G. Monier, M.-C. Chevrier, S. Verrette, H. Broly and R. Lemieux (Canada, France) 209

Association constants of monoclonal antibodies for hapten: heterogeneity of frequency distribution and possible relationship with hapten molecular weight
O. Chappey, M. Debray, E. Niel and J.M. Scherrmann (France) 219

CARE-LASS (calcein-release-assay), an improved fluorescence-based test system to measure cytotoxic T lymphocyte activity
R. Lichtenfels, W.E. Biddison, H. Schulz, A.B. Vogt and R. Martin (Germany, USA) 227

Scanning for T helper epitopes with human PBMC using pools of short synthetic peptides
J.C. Reece, D.L. McGregor, H.M. Geysen and S.J. Rodda (Australia) 241

A cytotoxicity assay utilizing a fluorescent dye that determines accurate surviving fractions of cells
J.R. Sellers, S. Cook and V.S. Goldmacher (USA) 255

Letter to the editors

Comparison of liquid-phase and Mab-blocking ELISA for assessment of the reactivity of monoclonal antibodies to foot-and-mouth disease virus
B. Pattnaik and R. Venkataramanan (India) 265

Erratum

Separation of complexes of major histocompatibility class II molecules and known antigenic peptide by metal chelate affinity chromatography (J. Immunol. Methods 169 (1994) 273–285)
B. Nag, P.V. Mukku, S. Arimilli, T. Kendrick, S.V. Deshpande and S.D. Sharma (USA) 269

Corrigendum

Reply to the letter of A. Finn and N. Rebuck (J. Immunol. Methods 171 (1994) 269–270)
A.S. Hamblin (UK) 271

Announcement 273

Contents to volume 172 (1994) 275

Notes to authors 277